

Lunar Crater
Observation &
Sensing Satellite
(LCROSS)





LCROSS

- Our next mission to the surface of the Moon.
- Developed and managed by NASA Ames Research Center in partnership with Northrop Grumman.
- Goal: to test whether or not water ice deposits exist on the Moon.






Why look for water?

- **Humans exploring the Moon will need water:**
 - Option 1: Carry it there.
 - Option 2: Use water that may be there already!
- **Carrying water to the Moon will be expensive!**
- **Learning to “Live off the land” would make human lunar exploration easier.**





Early Evidence for Water



Clementine



Lunar Prospector


Two previous missions, Clementine (1994) and Lunar Prospector (1999) gave us preliminary evidence that there may be deposits of water ice at the lunar poles.




Where will we look?




Cabeus



Radar Topography
(Margot et al., 1999)




Lunar Prospector Hydrogen Map
(Maurice et al., 2003)






How could there be water at the lunar poles?

The Sun never rises more than a few degrees above the polar horizon so the crater floors are in permanent shadow.



The crater floors are very cold with temperatures $< -200^{\circ}\text{C}$ (-328°F), so water molecules move very slowly and are trapped for billions of years.

Clementine Mosaic - South Pole





Where could water ice come from?

Over the history of the Moon, when comets or asteroids impact the Moon's surface, they briefly produce a very thin atmosphere that quickly escapes into space.

Any water vapor that enters permanently shadowed craters could condense and concentrate there.





How can we look for water?



**Lunar Reconnaissance Orbiter
LRO**



**Lunar Crater Observation
and Sensing Satellite
LCROSS**



Lunar Reconnaissance Orbiter


- **LROC** – image and map the lunar surface in unprecedented detail
- **LOLA** – provide precise global lunar topographic data through laser altimetry
- **LAMP** – remotely probe the Moon's permanently shadowed regions
- **CRaTER** - characterize the global lunar radiation environment
- **DIVINER** – measure lunar surface temperatures
- **LEND** – measure neutron flux to study hydrogen concentrations in lunar soil






LRO Mission Overview

- On-board propulsion system used to capture at the Moon, insert into and maintain 50 km mean altitude circular polar reconnaissance orbit
- 1 year exploration mission followed by handover to NASA science mission directorate




Minimum Energy Lunar Transfer


Lunar Orbit Insertion Sequence



Commissioning Phase, 30 x 216 km Altitude Quasi-Frozen Orbit, Up to 60 Days




Polar Mapping Phase, 50 km Altitude Circular Orbit, At least 1 Year





LCROSS Mission Concept



- **Impact the Moon at 2.5 km/sec with a Centaur upper stage and create an ejecta cloud that may reach over 10 km about the surface**
- **Observe the impact and ejecta with instruments that can detect water**



Excavating with 6.5-7 billion Joules




- **About equal to 1.5 tons of TNT**
- **Minimum of 200 tons lunar rock and soil will be excavated**
- **Crater estimated to have ~20-25 m diameter and ~3-5 m depth**
- **Similar in size to East Crater at Apollo 11 landing site**



LCROSS Mission System

- **Shepherding Spacecraft:** guides and aims the Centaur to its target and carries all of the critical instrumentation.
- **Centaur Upper Stage:** provides the thrust to get us from Earth orbit to the Moon and will then be used as an impactor.



Flash Radiometer




- Measures total impact flash luminance (425–1,000 nm), magnitude, and decay of flash
- Sensitive to total volatile soil content, regolith depth and target strength


Color Camera




UV/Vis Cameras



NIR Spectrometer



NIR Cameras



Spectrometer Telescopes



NIR (0.8–1.7 um) context



- Three color context imagery
- Monitor ejecta cloud morphology
- Determine visible grain properties
- Measure thermal evolution of ejecta cloud
- Remnant crater imagery

- MIR (6.0–13.5 um) thermal image, plume, ejecta cloud morphology
- Monitor the ejecta cloud morphology
- Determine MIR grain properties
- Measure thermal evolution of ejecta cloud
- Remnant crater imagery

- Three color context imagery
- Monitor ejecta cloud morphology
- Determine visible grain properties
- Measure thermal evolution of ejecta cloud
- Remnant crater imagery




Save \$ and Time by Using an Existing Structure Designed to Carry Heavy Payloads During Launch

Put LRO on top

EELV Secondary Payload Adapter or ESPA Ring

Use ESPA ring to make LCROSS spacecraft

Attach bottom of ESPA Ring to top of rocket




But how do you make a spacecraft out of something that looks like a sewer pipe?



Answer: Put Equipment Around the Rim and Tank in the Middle

Integrated LCROSS Spacecraft





Different Panels Perform Different Functions

LCROSS Viewed From Above
without Insulation

Batteries


Solar Array

**Science
Instruments**

**Power
Control
Electronics**

**Command
and Data
Handling
Electronics
(including
computer)**

**Attitude Control and
Communications
Electronics**






Launch: June 18, 2009



- Both LCROSS and LRO shared space aboard an Atlas V launch vehicle.
- Launch occurred at Cape Canaveral.





Launch Vehicle

- We used the Atlas V Launch Vehicle.
- This is the latest version in the Atlas family of boosters.
- Earlier versions of Atlas boosters were used for manned Mercury missions 1962-63.
- Atlas V has become a mainstay of U.S. satellite launches.
- NASA has used Atlas V to launch MRO to Mars in 2004 and New Horizons to Pluto and the Kuiper Belt in 2006.





Launch Site



- **Launch was from Space Launch Complex 41 (SLC-41) at Cape Canaveral.**
- **Historic site where many previous missions launched:**
- **Helios probes to the Sun**
- **Viking probes to Mars**
- **Voyager planetary flyby and deep space probes**
- **Mars Reconnaissance Orbiter**
- **New Horizons spacecraft to Pluto and Kuiper Belt**




When?



- **LRO/LCROSS launched June 18, 2009.**
- **This will lead to impact on October 9 for LCROSS.**
- **Impact will target the South Pole region of the Moon.**


Centaur-LCROSS-LRO at TLI



LRO Separation




LCROSS Lunar Flyby: L + 5 days





Lunar Flyby: June 23, 2009



NASA

HOME NEWS MISSIONS MULTIMEDIA ABOUT NASA COLLABORATE

> Log In To MyNASA | > Sign Up

Search

NASA Home | Multimedia | Interactive Features

Send Bookmark

Video stream coverage will begin approximately 5:30 a.m. PDT (8:00 p.m. GMT) on Tuesday, June 23, 2009. Please reload page after 5:30 a.m.

VIDEO 1 - spacecraft visible light camera at one frame per second

VIDEO 2 - real-time, telemetry-based animation of lunar swingby (includes audio)

small (320x240) .. medium (480x360) .. full resolution (640x480)


small (320x240) .. medium (480x360) .. full resolution (640x480)

Follow the LCROSS scientists on Twitter, Facebook and the LCROSS lunar swingby blog as they look at the incoming imagery.




LCROSS Trajectory: The Long and Winding Road

- Flyby transitioned to Lunar Gravity Assist Lunar Return Orbits (LGALRO).
- 3 LGALRO orbits about Earth (~36 day period).
- Long transit also provides time to vent any remaining fuel from Centaur.




LCROSS Separation: Impact - 9 hrs



Centaur Impact



Centaur Impact





Into the Plume

- During the next 4 minutes, the **Shepherding Spacecraft** descends into the debris plume, measures its composition, and transmits this information back to Earth.
- The **Shepherding Spacecraft** then ends its mission with a second impact on the Moon.





Impact Observation Campaign





Public and Student Observation

Amateurs and students with 10 to 12-inch telescopes may be able to observe and image the impact plume, and participate in the mission science.





Student Telemetry Program

- **GAVRT – Goldstone Apple Valley Radio Telescope run by Lewis Center for Educational Research.**
- **K-12 classrooms across the country and around the world are controlling the 34-meter DSS-13 dish.**
- **Students will help track and monitor spacecraft status and velocity during flight.**





Timing is everything!

- **LCROSS mission in 2009 occurs during the International Year of Astronomy — 400 years since Galileo first pointed his telescope at the sky.**
- **The mission also takes place during the 40th anniversary of Apollo XI's first landing astronauts on the Moon.**

A composite image of a night sky. The background is a deep space scene featuring a large, vibrant nebula with swirling clouds of gas in shades of blue, green, and yellow. A full moon is visible in the upper right corner. In the foreground, the silhouettes of two people are shown against the bright sky. One person is on the left, looking through a large telescope mounted on a tripod. The other person is on the right, pointing their finger towards the stars. The bottom of the image shows the dark silhouette of a city skyline.

LCROSS will be a smashing success !

(<http://www.nasa.gov/lcross>)



Questions